

## 冷間圧延ステンレス鋼板

SUS304 2B

(単位:m/m)

幅長 厚み	1,000 x 2,000	1,219 x 2,438	1,219 x 3,048	1,219 x 4,000	1,524 x 3,048	1,524 x 4,000	1,524 x 6,096	2,000 x 6,100
0.6	●	●						
0.8	●	●						
1	●	●			●	●		
1.2	●	●	●	●	●	●	●	
1.5	●	●	●	●	●	●	●	
2	●	●			●	●	●	●
2.5	●	●			●	●	●	
3	●	●			●	●	●	●
4	●	●			●	●	●	
5	●	●			●	●	●	
6	●	●			●	●	●	

SUS304L 2B

(単位:m/m)

幅長 厚み	1,000 x 2,000	1,219 x 2,438	1,219 x 3,048	1,219 x 4,000	1,524 x 3,048	1,524 x 4,000	1,524 x 6,096	2,000 x 6,100
0.6	●	●						
0.8	●	●						
1	●	●						
1.2	●	●	●	●				
1.5	●	●	●	●	●	●	●	
2	●	●			●	●	●	
2.5	●	●			●	●	●	
3	●	●			●	●	●	
4	●	●			●	●	●	
5	●	●			●	●	●	
6	●	●			●	●	●	

## 冷間圧延ステンレス鋼板

SUS304 HL

(単位:m/m)

幅長 厚み	1,000 x 2,000	1,219 x 2,438	1,219 x 3,048	1,219 x 4,000	1,524 x 3,048	1,524 x 4,000	1,524 x 6,096	2,000 x 6,100
0.6	●	●						
0.8	●	●						
1	●	●			●	●		
1.2	●	●	●	●	●	●	●	
1.5	●	●	●	●	●	●	●	
2	●	●			●	●	●	●
2.5	●	●			●	●	●	
3	●	●			●	●	●	●

SUS304 BA

(単位:m/m)

幅長 厚み	1,000 x 2,000	1,219 x 2,438	1,219 x 3,048	1,219 x 4,000	1,524 x 3,048	1,524 x 4,000	1,524 x 6,096	2,000 x 6,100
0.6	●	●						
0.8	●	●						
1	●	●						
1.2	●	●						
1.5	●	●						
2	●	●						

## 冷間圧延ステンレス鋼板

SUS316 2B

(単位:m/m)

幅長 厚み	1,000 x 2,000	1,219 x 2,438	1,219 x 3,048	1,219 x 4,000	1,524 x 3,048	1,524 x 4,000	1,524 x 6,096	2,000 x 6,100
0.6	●	●						
0.8	●	●						
1	●	●						
1.2	●	●	●	●				
1.5	●	●	●	●	●	●	●	
2	●	●			●	●	●	
2.5	●	●			●	●	●	
3	●	●			●	●	●	
4	●	●			●	●	●	
5	●	●			●	●	●	
6	●	●			●	●	●	

SUS316L 2B

(単位:m/m)

幅長 厚み	1,000 x 2,000	1,219 x 2,438	1,219 x 3,048	1,219 x 4,000	1,524 x 3,048	1,524 x 4,000	1,524 x 6,096	2,000 x 6,100
0.6	●	●						
0.8	●	●						
1	●	●						
1.2	●	●	●	●				
1.5	●	●	●	●	●	●	●	
2	●	●			●	●	●	
2.5	●	●			●	●	●	
3	●	●			●	●	●	
4	●	●			●	●	●	
5	●	●			●	●	●	
6	●	●			●	●	●	