

熱間圧延ステンレス鋼板

SUS304 No.1

(単位:m/m)

| 幅長 厚み | 1,000 X 2,000 | 1,219 X 2,438 | 1,524 X 3,048 | 1,524 X 4,000 | 1,524 X 6,096 | 2,050 X 4,100 | 2,050 X 6,100 | 2,438 X 6,100 | 3,050 X 6,100 |
|----------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| 3 | ● | ● | ● | ● | ● | | | | |
| 4 | ● | ● | ● | ● | ● | ● | ● | ● | |
| 4.5 | ● | ● | | | ● | | | | |
| 5 | ● | ● | ● | | ● | ● | ● | ● | |
| 6 | ● | ● | ● | | ● | ● | ● | ● | ● |
| 7 | | | | | ● | | | | |
| 8 | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| 9 | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| 10 | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| 12 | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| 14 | | | ● | | ● | ● | ● | ● | ● |
| 15 | | | ● | | ● | ● | ● | ● | ● |
| 16 | ● | ● | ● | | ● | ● | ● | ● | ● |
| 18 | | | ● | | ● | ● | ● | ● | ● |
| 19 | | | ● | | ● | ● | ● | ● | ● |
| 20 | | | ● | | ● | ● | ● | ● | ● |
| 22 | | | ● | | ● | ● | ● | ● | ● |
| 25 | | | ● | | ● | ● | ● | ● | ● |
| 28 | | | | | | ● | ● | ● | ● |
| 30 | | | | | | ● | ● | ● | ● |
| 32 | | | | | | ● | ● | ● | ● |
| 35 | | | | | | ● | ● | ● | ● |
| 38 | | | | | | ● | ● | ● | ● |
| 40 | | | | | | ● | ● | ● | ● |
| 45 | | | | | | ● | ● | ● | ● |
| 50 | | | | | | ● | ● | ● | ● |
| 55 | | | | | | ● | ● | | |
| 60 | | | | | | ● | ● | | |
| 65 | | | | | | ● | ● | | |
| 70 | | | | | | ● | ● | | |
| 75 | | | | | | ● | ● | | |
| 80 | | | | | | ● | ● | | |
| 85 | | | | | | ● | | | |
| 90 | | | | | | ● | | | |
| 100 | | | | | | ● | | | |
| 110 | | | | | | ● | | | |
| 120 | | | | | | ● | | | |

熱間圧延ステンレス鋼板

SUS304L No.1

(単位:m/m)

| 幅長 厚み | 1,000 X 2,000 | 1,219 X 2,438 | 1,524 X 3,048 | 1,524 X 4,000 | 1,524 X 6,096 | 2,050 X 4,100 | 2,050 X 6,100 | 2,438 X 6,100 | 3,050 X 6,100 |
|----------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| 3 | ● | ● | ● | ● | ● | | | | |
| 4 | ● | ● | ● | ● | ● | ● | ● | ● | |
| 5 | ● | ● | ● | | ● | ● | ● | ● | |
| 6 | ● | ● | ● | | ● | ● | ● | ● | ● |
| 7 | | | | | ● | | | | |
| 8 | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| 9 | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| 10 | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| 12 | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| 14 | | | ● | | | ● | ● | ● | ● |
| 15 | | | ● | | | ● | ● | ● | ● |
| 16 | ● | ● | ● | | | ● | ● | ● | ● |
| 18 | | | ● | | | ● | ● | ● | ● |
| 19 | | | ● | | | ● | ● | ● | ● |
| 20 | | | ● | | | ● | ● | ● | ● |
| 22 | | | ● | | | ● | ● | ● | ● |
| 25 | | | ● | | | ● | ● | ● | ● |
| 28 | | | | | | ● | ● | ● | ● |
| 30 | | | | | | ● | ● | ● | ● |
| 32 | | | | | | ● | ● | ● | ● |
| 35 | | | | | | ● | ● | ● | ● |
| 38 | | | | | | ● | ● | ● | ● |
| 40 | | | | | | ● | ● | ● | ● |
| 45 | | | | | | ● | ● | | |
| 50 | | | | | | ● | ● | | |
| 55 | | | | | | ● | | | |
| 60 | | | | | | ● | | | |
| 65 | | | | | | ● | | | |
| 70 | | | | | | ● | | | |
| 75 | | | | | | ● | | | |
| 80 | | | | | | ● | | | |

熱間圧延ステンレス鋼板

SUS316 No.1

(単位:m/m)

| 幅長 厚み | 1,000 X 2,000 | 1,219 X 2,438 | 1,524 X 3,048 | 1,524 X 4,000 | 1,524 X 6,096 | 2,050 X 4,100 | 2,050 X 6,100 | 2,438 X 6,100 | 3,050 X 6,100 |
|----------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| 3 | ● | ● | ● | ● | ● | | | | |
| 4 | ● | ● | ● | ● | ● | ● | ● | | |
| 5 | ● | ● | ● | | ● | ● | ● | ● | |
| 6 | ● | ● | ● | | ● | ● | ● | ● | ● |
| 7 | | | | | ● | | | | |
| 8 | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| 9 | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| 10 | | | | | ● | ● | ● | ● | ● |
| 12 | | | | | ● | ● | ● | ● | ● |
| 14 | | | | | | ● | ● | ● | ● |
| 15 | | | | | | ● | ● | ● | ● |
| 16 | | | | | | ● | ● | ● | ● |
| 18 | | | | | | ● | ● | ● | ● |
| 19 | | | | | | ● | ● | ● | ● |
| 20 | | | | | | ● | ● | ● | ● |
| 22 | | | | | | ● | ● | ● | ● |
| 25 | | | | | | ● | ● | ● | ● |
| 28 | | | | | | ● | ● | ● | ● |
| 30 | | | | | | ● | ● | ● | ● |
| 32 | | | | | | ● | ● | ● | ● |
| 35 | | | | | | ● | ● | ● | ● |
| 38 | | | | | | ● | ● | ● | ● |
| 40 | | | | | | ● | ● | ● | ● |
| 45 | | | | | | ● | ● | | |
| 50 | | | | | | ● | ● | | |
| 55 | | | | | | ● | | | |
| 60 | | | | | | ● | | | |
| 65 | | | | | | ● | | | |
| 70 | | | | | | ● | | | |
| 75 | | | | | | ● | | | |
| 80 | | | | | | ● | | | |

熱間圧延ステンレス鋼板

SUS316L No.1

(単位:m/m)

| 幅長 厚み | 1,000 X 2,000 | 1,219 X 2,438 | 1,524 X 3,048 | 1,524 X 4,000 | 1,524 X 6,096 | 2,050 X 4,100 | 2,050 X 6,100 | 2,438 X 6,100 | 3,050 X 6,100 |
|----------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| 3 | ● | ● | ● | ● | ● | | | | |
| 4 | ● | ● | ● | ● | ● | ● | ● | | |
| 5 | ● | ● | ● | | ● | ● | ● | ● | |
| 6 | ● | ● | ● | | ● | ● | ● | ● | ● |
| 7 | | | | | ● | | | | |
| 8 | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| 9 | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| 10 | | | | | ● | ● | ● | ● | ● |
| 12 | | | | | ● | ● | ● | ● | ● |
| 14 | | | | | | ● | ● | ● | ● |
| 15 | | | | | | ● | ● | ● | ● |
| 16 | | | | | | ● | ● | ● | ● |
| 18 | | | | | | ● | ● | ● | ● |
| 19 | | | | | | ● | ● | ● | ● |
| 20 | | | | | | ● | ● | ● | ● |
| 22 | | | | | | ● | ● | ● | ● |
| 25 | | | | | | ● | ● | ● | ● |
| 28 | | | | | | ● | ● | ● | ● |
| 30 | | | | | | ● | ● | ● | ● |
| 32 | | | | | | ● | ● | ● | ● |
| 35 | | | | | | ● | ● | ● | ● |
| 38 | | | | | | ● | ● | ● | ● |
| 40 | | | | | | ● | ● | ● | ● |
| 45 | | | | | | ● | ● | | |
| 50 | | | | | | ● | ● | | |
| 55 | | | | | | ● | | | |
| 60 | | | | | | ● | | | |
| 65 | | | | | | ● | | | |
| 70 | | | | | | ● | | | |
| 75 | | | | | | ● | | | |
| 80 | | | | | | ● | | | |

熱間圧延ステンレス鋼板

SUS309S No.1

(単位:m/m)

| 幅長 厚み | 1,000 X 2,000 | 1,219 X 2,438 | 1,524 X 3,048 | 1,524 X 4,000 | 1,524 X 6,096 | 2,050 X 4,100 | 2,050 X 6,100 | 2,438 X 6,100 | 3,050 X 6,100 |
|----------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| 3 | ● | ● | ● | ● | ● | | | | |
| 4 | ● | ● | ● | ● | ● | ● | ● | | |
| 5 | ● | ● | ● | ● | ● | ● | ● | | |
| 6 | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| 7 | | | | | ● | | | | |
| 8 | | | | | ● | ● | ● | ● | ● |
| 9 | | | | | ● | ● | ● | ● | ● |
| 10 | | | | | ● | ● | ● | ● | ● |
| 12 | | | | | ● | ● | ● | ● | ● |
| 14 | | | | | | ● | ● | ● | |
| 15 | | | | | | ● | ● | ● | |
| 16 | | | | | | ● | ● | ● | |
| 18 | | | | | | ● | ● | ● | |
| 19 | | | | | | ● | ● | ● | |
| 20 | | | | | | ● | ● | ● | |
| 22 | | | | | | ● | | | |
| 25 | | | | | | ● | | | |
| 28 | | | | | | ● | | | |
| 30 | | | | | | ● | | | |
| 35 | | | | | | ● | | | |
| 40 | | | | | | ● | | | |
| 50 | | | | | | ● | | | |

熱間圧延ステンレス鋼板

SUS310S No.1

(単位:m/m)

| 幅長 厚み | 1,000 X 2,000 | 1,219 X 2,438 | 1,524 X 3,048 | 1,524 X 4,000 | 1,524 X 6,096 | 2,050 X 4,100 | 2,050 X 6,100 | 2,438 X 6,100 | 3,050 X 6,100 |
|----------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| 3 | ● | ● | ● | ● | ● | | | | |
| 4 | ● | ● | ● | ● | ● | ● | ● | ● | |
| 5 | ● | ● | ● | ● | ● | ● | ● | ● | |
| 6 | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| 7 | | | | | ● | | | | |
| 8 | | | | | ● | ● | ● | ● | ● |
| 9 | | | | | ● | ● | ● | ● | ● |
| 10 | | | | | ● | ● | ● | ● | ● |
| 12 | | | | | ● | ● | ● | ● | ● |
| 14 | | | | | | ● | ● | ● | |
| 15 | | | | | | ● | ● | ● | |
| 16 | | | | | | ● | ● | ● | |
| 18 | | | | | | ● | ● | ● | |
| 19 | | | | | | ● | ● | ● | |
| 20 | | | | | | ● | ● | ● | |
| 22 | | | | | | ● | | | |
| 25 | | | | | | ● | | | |
| 28 | | | | | | ● | | | |
| 30 | | | | | | ● | | | |
| 35 | | | | | | ● | | | |
| 40 | | | | | | ● | | | |
| 50 | | | | | | ● | | | |

熱間圧延ステンレス鋼板

SUS329J4L No.1

(単位:m/m)

| 幅長 厚み | 1,000 X 2,000 | 1,219 X 2,438 | 1,524 X 3,048 | 1,524 X 4,000 | 1,524 X 6,096 | 2,050 X 4,100 | 2,050 X 6,100 | 2,438 X 6,100 | 3,050 X 6,100 |
|----------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| 3 | | ● | | | ● | | | | |
| 4 | | ● | | | ● | | | | |
| 5 | | ● | | | ● | | | | |
| 6 | | ● | | | ● | | ● | ● | |
| 8 | | | | | ● | | ● | ● | |
| 9 | | | | | ● | | ● | ● | |
| 10 | | | | | ● | | ● | ● | |
| 12 | | | | | ● | | ● | ● | |
| 14 | | | | | | | ● | | |
| 15 | | | | | | | ● | | |
| 16 | | | | | | | ● | | |
| 18 | | | | | | | ● | | |
| 19 | | | | | | | ● | | |
| 20 | | | | | | | ● | | |
| 22 | | | | | | | ● | | |
| 25 | | | | | | | ● | | |
| 28 | | | | | | | ● | | |
| 30 | | | | | | | ● | | |
| 35 | | | | | | | ● | | |
| 40 | | | | | | | ● | | |
| 45 | | | | | | | ● | | |

SUS304N2, N2-X No.1

(単位:m/m)

| 幅長 厚み | 1,000 X 2,000 | 1,219 X 2,438 | 1,524 X 3,048 | 1,524 X 4,000 | 1,524 X 6,096 | 2,050 X 4,100 | 2,050 X 8,100 | 2,438 X 6,100 | 3,050 X 6,100 |
|----------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| 9 | | | | | | | ● | | |
| 10 | | | | | | | ● | | |
| 12 | | | | | | | ● | | |
| 15 | | | | | | | ● | | |
| 16 | | | | | | | ● | | |
| 20 | | | | | | | ● | | |
| 22 | | | | | | | ● | | |
| 25 | | | | | | | ● | | |
| 30 | | | | | | | ● | | |